



SAFFRON[®]
AN ISO 9001 : 2015 CERTIFIED Co.



Innovative Solutions With New Possibilities

SINCE 2000

• Pharmaceutical • Analytical • Laboratory • Chemicals • Precision • Institution



Unlimited Choice



**Complete Range Of Digital Weighing
Balances & Scales**



*Competency Product with
High Quality Brand*



**Uniquely and delectable Design
More Sensible Accuracy & High Stability
Excellent Repeatability & Unfailing Reliability**



Maintenance Free



► Precision Table Top Scale



► Standard Feature

- The advanced eye protected Backlit, high contrast enlarged characters LCD display
- High resolution over 1000000 stable count
- Anti vibration feature
- Environmentally protected load cell with temp. compensated
- Inbuilt rechargeable battery backup for continue use optional
- Safe Overload protection 120% of FS
- Ultimate Overload protection 150% of FS
- Auto external calibration system
- High stability & better Repeatability.
- Multi weighing units
- Animal Weighing & GSM Weighing
- High/Low indication function
- Environmentally protection class IP54, 65, 67, 68 available optional (as per user requirement)

MODEL	CAPACITY	READABILITY	PAN SIZE (mm)
SES 3TH	3Kg	0.1g	250 x 250
SES 6TH	6Kg	0.1g	
SES 10TH	10Kg	0.1g	
SES 20TH	20Kg	0.1g	
SES 30TH	30Kg	0.1g	
SES 3T	3Kg	0.5g	250 x 250 or 300 x 300 or 400 x 400
SES 6T	6Kg	0.5g	
SES 10T	10Kg	0.5g	
SES 20T	20Kg	1g	
SES 30T	30Kg	1g	
SES 50T	50Kg	1g	
SES 60T	60Kg	1g	
SES 100T	100Kg	1g	
SES 50T	50Kg	5g	
SES 60T	60Kg	5g	
SES 100T	100Kg	5g	



Food Grade SS 304 Structure



► Standard Feature

- Easy to read bright LED display.
- High Resolution 15000-100000 stable count
- High stability & better repeatability
- Respond Time 2 Second
- Multi Unite Available
- Easy to Operate System
- Ultimate overload protection 150% of FS
- Auto external calibration system
- Inbuilt battery backup available for continue use
- SS and ABS housing available
- Environmentally protected load cell.
- RS232, WiFi, Bluetooth facility, Printer (optional)
- High / Low Indication
- Waterproof Body (optional)



* MS Powder Coated Structure
Pan : SS 202

* Max Capacity up to 30 kg.
Pan size : 170 x 220 & 240 x 290 mm



Print



WiFi



Bluetooth

Eminent Clients :

LARGEST SUBGROUP INDUSTRIES



PHARMA INDUSTRIES



UNIVERSITY



SAFFRON ELECTRONICS SCALE

1, Sahyog Chamber, Kohinoor Road, Nr. Sardar Chowk, Mini Diamond Market, Varachha Road, Surat - 395006.

Tel : 90999 81818, 70488 35000, 0261-2556655

✉ For Sale : sales@saffron scales.com ✉ For Service : support@saffron scales.com

🌐 Website : www.saffron scales.com

► Available Service around the Nation

- Delhi
- Ahmedabad
- Bhopal
- Cochin
- Haridwar
- Jaipur
- Patna
- Thiruvananthapuram
- Mumbai
- Ambala
- Bhavnagar
- Coimbatore
- Hospet
- Kanpur
- Pune
- Thrissur
- Kolkata
- Banglore
- Bhubaneswar
- Goa
- Hyderabad
- Lucknow
- Raipur
- Varanasi
- Chennai
- Belgaum
- Chandigarh
- Guwahati
- Indore
- Nasik
- Surat
- Vishakhapatnam

Saffron electronics scale reserve the right to make changes to the technology, features, specifications and design of the all enclosed equipment any time without notice for day to day up gradation.